

# Case Report: Percutaneous Balloon Dilatation and Ureteral Stenting for Tuberculous Renal Infundibular and Ureteral Strictures

S K H Yip,<sup>\*FAMS, MBBS, FRCS (Edin)</sup>, W C G Peh,<sup>\*\*FAMS, MRCP, FRCR</sup>, J H C Li,<sup>\*\*\*MBBS, DMRD, FRCR</sup>, M C Cheung,<sup>\*\*\*\*MBBS, FRCS (Edin)</sup>

## Abstract

*A 23-year-old woman developed progressive obstructive uropathy due to multiple renal infundibular and ureteral strictures while on drug treatment for renal tuberculosis. Communication between isolated upper and mid-pole calyces, and the ureter, was established by percutaneous guidewire manipulation. The strictures were successfully managed using percutaneous balloon catheter dilatation and ureteral stenting without the need for open surgical exploration. Kidney function was preserved at one year follow-up.*

*Ann Acad Med Singapore 1999; 28:284-7*

*Key words: Interventional radiology, Tuberculous stricture, Urinary tuberculosis*

---

\* Senior Registrar  
Department of Urology  
Singapore General Hospital

\*\* Professor

\*\*\* Senior Medical Officer  
Department of Diagnostic Radiology

\*\*\*\* Senior Medical Officer  
Department of Surgery (Division of Urology)  
The University of Hong Kong, Queen Mary Hospital, Hong Kong

Address for Reprints: Professor Wilfred C G Peh, Department of Diagnostic Radiology, The University of Hong Kong, Room 406 Block K, Queen Mary Hospital, Hong Kong. Email: wcgpeh@hkucc.hku.hk