

Table 3. Eventual outcomes.

<b>Variable</b>	<b>Overall (n=295)</b>	<b>Men (n=211)</b>	<b>Women (n=84)</b>	<b>P value</b>
ICD implant, no. (%)	44 (14.9)	32 (15.2)	12 (14.3)	0.848
Resuscitated VT/VF or appropriate ICD therapy, no. (%)	5 (1.7)	5 (2.4)	0	<b>&lt;0.001</b>
Stroke, no. (%)	36 (12.2)	20 (9.5)	16 (19.0)	<b>0.026</b>
Myocardial infarction, no. (%)	39 (13.2)	27 (12.8)	12 (14.3)	0.733
Heart failure, no. (%)	33 (11.2)	14 (6.6)	19 (22.6)	<b>&lt;0.001</b>
Death (all-cause), no. (%)	65 (22.0)	44 (20.9)	21 (25)	0.439
Follow-up duration, mean ( $\pm$ SD), years	3.92 ( $\pm$ 2.72)	3.91 ( $\pm$ 2.73)	3.92 ( $\pm$ 2.71)	0.982

ICD: implantable cardioverter defibrillator; VT/VF: ventricular tachycardia/ventricular fibrillation; SD: standard deviation

*P* values in bold are statistically significant.