

Variable	n	HR	95% CI	P
Diagnosis				
B-NHL	41	1		Reference
T-NHL	38	0.84	0.31–2.23	0.72
NKTL	24	1.89	0.71–5.07	0.20
HL	18	1.28	0.43–3.70	0.64
Disease status at transplantation				
CR	73	1		Reference
PR	29	1.12	0.32–4.09	0.86
SD/PD	19	1.71	0.32–4.09	0.54
Donor type				
MSD	54	1		Reference
MUD	35	1.10	0.38–2.88	0.85
Haploidentical	23	0.63	0.13–2.75	0.55
CB	9	4.09	0.42–32.3	0.20
Conditioning				
RIC	102	1		Reference
MAC	17	0.64	0.19–1.83	0.43

Allo-HSCT: allogeneic-haematopoietic stem cell transplantation; B-NHL: B-cell non-Hodgkin lymphoma; CB: cord blood; CI: confidence interval; CR: complete remission; HL: Hodgkin lymphoma; HR: hazard ratio; MAC: myeloablative conditioning; MSD: matched sibling donor; MUD: matched unrelated donor; NKTL: natural killer T-cell lymphoma; PFS: progress-free survival; PR: partial remission; RIC: reduced intensity conditioning; SD/PD: stable disease/progress-free disease; T-NHL: T-cell non-Hodgkin lymphoma